

pH-Dependent Fluorogenic Amyloid-Beta Reporters

Live-cell fluorogenic amyloid-beta reporters enable real-time tracking of microglial phagocytosis, accelerating the development of Alzheimer's disease therapeutics.

Researchers at Purdue University have developed pH-dependent fluorogenic amyloid-beta reporters for the study of Alzheimer's disease (AD). Microglial phagocytosis of amyloid-beta peptides is a critical step in the regulation of brain homeostasis during the initiation and progression of AD. Unlike common methods to study this phenomenon, this technology is specific for amyloid-beta and functions in live cells. The reporter, an isoform of human amyloid-beta tagged with a pH-dependent fluorogenic moiety, fluoresces only upon phagocytosis in the acidic intracellular phagosomes. It clearly differentiates between phagocytic and non-phagocytic cells within live human and nonhuman microglial cells. This technology promises to aid in the discovery of new therapeutics for AD.

Advantages:

- Facilitates live cell tracking of microglial phagocytosis
- Differentiates between phagocytic and non-phagocytic microglial cells

Potential Applications:

- Development of Alzheimer's Therapeutics

Publication: Monitoring phagocytic uptake of amyloid β^2 into glial cell lysosomes in real time.

doi: <https://doi.org/10.1101/2020.03.29.002857>

TRL: 4

Intellectual Property:

Technology ID

2019-CHOP-68541

Category

Biotechnology & Life
Sciences/Analytical & Diagnostic
Instrumentation
Pharmaceuticals/Research Tools
& Assays

Authors

Gaurav Chopra
Krupal Jethava
Priya Prakash

Further information

Joe Kasper
JRKasper@prf.org

Nathan Smith
nesmith@prf.org

View online



Provisional-Patent, 2019-03-29, United States | PCT-Patent, 2020-03-27, WO
| NATL-Patent, 2021-09-27, United States

Keywords: pH-dependent fluorogenic amyloid-beta reporters, Alzheimer's disease, microglial phagocytosis, live cell tracking, AD therapeutics, brain homeostasis, amyloid-beta peptides, phagocytic cells, non-phagocytic cells, glial cell lysosomes